

(Packing and Shipping)

Directly after manufacture all RG products, they are packed onto shipping pallets according to standard or wooden cover which serve as package units and provide adequate protection during transit.

All pallets are designed dimensionally to favor the containerization, which in order to balance for optimum utilization of standard 20'GP or 40'GP containers.

RG provides adequate protection for packing and loading to safeguard shipments against possible damage. Nevertheless, care during handling of package units is still recommended.

With close co-operation with forwarding agents along with our experienced shipping staff, RG offers a safe timely transportation and high quality service to most destinations globally.



Packing Detail for RG Fireproof Door Core Panel


Export Pallet: Export pallet 4-way entry made of wood.

Protections: Covered by layer of 100 μ shrink-film.
Pre-moulded fibre corners on all four side edges.
With Calcium Silicate board -layer protection at the top and the bottom of the pallet

Stacking: Panels are stacked on top of each other in identical layers.

Container Capacity:	Pallet Size	20 Foot GP Container	40 Foot GP Container
	2100X900X29mm	6 Pallets	13 Pallets
	2100X900X38mm	6 Pallets	13 Pallets
	2100X900X45mm	6 Pallets	13 Pallets

Note : Number of Pallets may be vary due to possible weight restriction

Product	Dimension	Panels/pallet	Pallets/ 20FT.Containe	Panels/ Container
	2100X900X29mm	60	6	360
	2100X900X38mm	50	6	300
	2100X900X45mm	47	6	282
	Dimension	Panels/pallet	Pallets/ 40FT.Containe	Panels/Container
	2100X900X29mm	60	13	780
	2100X900X38mm	50	13	650
	2100X900X45mm	47	13	611

Side View	Detail of Top View	Shrink-film Wrapping
		

Packing Detail for RG Fireproof Acoustic Panel


Export Pallet: Export pallet 4-way entry made of wood.


Protections: Covered by layer of 100 μ shrink-film.
Pre-moulded fibre corners on all four side edges
With Calcium Silicate board -layer protection at the top and the bottom of the pallet




Stacking: Panels are stacked on top of each other in identical layers.

Container Capacity:	Pallet Size	20 Foot GP Container	40 Foot GP Container
	2430X197X20mm	4 Pallets	8 Pallets
	2430X197X22mm	4 Pallets	8 Pallets
	2430X197X25mm	4 Pallets	8 Pallets

Note : Number of Pallets may be vary due to possible weight restriction

Product	Dimension	Panels/pallet	Pallets/ 20FT.Containe	Panels/Container
	2430X197X20mm	630	2	2310
	2430X197X20mm	525	2	
	2430X197X22mm	570	2	2090
	2430X197X22mm	475	2	
	2430X197X25mm	504	2	1848
	2430X197X25mm	420	2	

Product	Dimension	Panels/pallet	Pallets/ 40FT.Containe	Panels/Container
RG Fireproof Acoustic Panel (Wooden Cover Packing) 	2430X197X20mm	630	4	4620
	2430X197X20mm	525	4	
	2430X197X22mm	570	4	4180
	2430X197X22mm	475	4	
	2430X197X25mm	504	4	3696
	2430X197X25mm	420	4	

Side View	Detail View	Wooden Cover Also Available Upon Request
		

Thank you for choosing RG Products!

Luyu RG Building Materials Co., Ltd

Mob:+86-13724240769 | Skype:rgpanel | Email:rg@luyurg.com

Web: www.luyurg.com

Tel:+86-75582852999 ext:877

Fax:+86-75588915995

Headquarter: Rm 609,International Chamber of Commerce,,Fuhua Third Rd,Futian Dist,Shenzhen,China

Factory:HuDieLingIndustrialPlant, DongyuanCounty,Heyuan,GuangdongProv P.C.:517000